USCG UNINSPECTED PASSENGER VESSEL SAFETY EXAMINATION BOOKLET GUIDELINES

This booklet is to be used to record a voluntary examination of an Uninspected Passenger Vessel. It provides a summary list of Coast Guard requirements to examiners and owners/operators of an Uninspected Passenger Vessel. This booklet should be used in conjunction with the regulations or other aids developed by the Coast Guard to assist in understanding of the regulations. This form must be used with the Requirements for Uninspected Passenger Vessels (LANT/PACAREAINST 16710.2).

Examiners should leave a (copy) of this form with the vessel when completed.

PRIVACY ACT STATEMENT VOLUNTARY DOCKSIDE EXAMINATIONS UNINSPECTED PASSENGER VESSELS

PRIVACY ACT STATEMENT: Required by Public law 93-579

AUTHORITY: 46 USC 4101, USC 4102, 46 USC 4103, 46 USC 4105, 46 USC 4106, 46 USC 6101, 46 USC 6102, 46 USC 6103, 46 USC 7101, 46 USC 7102, 46 USC and 14 USC 89.

PRINCIPAL PURPOSE (S): To document the Voluntary Dockside Examiner's report, enhance Passenger Vessel safety and promote public awareness and education. Information may be retained on file indefinitely.

ROUTINE USE (S): This information is to be used for uniform Coat Guard reporting and administration of voluntary Dockside Examination data. It will be used to record the number of vessels and level of compliance with Coast Guard regulations.

MANDATORY OR VOLUNTARY DISCLOSURE: Providing any information during the course of a voluntary dockside examination is voluntary. Failure to provide information necessary to ensure compliance with applicable regulation may prevent issuance of the safety decal.

Providing a vessel document/certificate of number by the operator of a vessel is mandatory. Failure to provide vessel documentation/registration will prevent issuance of the safety decal.

USCG UNINSPECTED PASSENGER VESSEL SAFETY EXAMINATON RESULTS < 100 GT ≤ 6 Passenger for Hire Vessel Name **Vessel Examination Location** Prior Decal Photos [] Yes [] Bow [] No [] Stern Registration/COD# **Hailing Port** HIN **Expiration Date:** Max POB Vessel Make, Model & Year Mfg. Length **Gross Tons Net Tons Fuel Type:** Propulsion: **Hull Structure:** Horsepower: **Vessel Route & Endorsement** [] Gas [] Inboard [] Wood [] Local Area [] Livery for Hire [] Diesel [] Outboard [] Fiberglass [] Single _ [] Inland [] Coastwise [] Sail [] Electric [] Steel [] Great Lakes [] Twin [] Rowed [] Near Coastal [] Aluminum [] Oceans **Owner Name** Marine Employer Mailing Address, City, State, Zip Code Mailing Address, City, State, Zip Code Telephone: Telephone: **Email Address: Email Address:** Name/Reference #/Expiration Date on Merchant Mariner Credential: ☐ A voluntary UPV dockside examination has been completed. However as a result of the examination of this vessel, the following deficiencies were noted that prevented the issuance of the Uninspected Passenger Vessel Safety Decal: (note deficiency with an explanation and identify any Extremely Hazardous Conditions (EHC): When these deficiencies are corrected, please call to schedule a re-examination. Examiner Printed Name & ID #: Telephone #: **Examiner Signature:** Date: Congratulations! Your vessel is in full compliance with all applicable UPV regulations. The issued decal is valid for ONE year provided that all regulatory and operating requirements remain current. Please keep this form on board and show it to the Coast Guard if the vessel is boarded. DECAL EXPIRATION DATE: I CERTIFY that I have personally examined the vessel and find it meets the requirements of this report at the time of the examination. Telephone # **Issuing Examiner Signature: Examiner Printed Name & ID:** By accepting this UPV decal you are pledging to always maintain your vessel and equipment to the standard of safety qualified for during this examination. Remove this decal if the vessel is sold or the vessel no longer meets the requirements or no longer engages as an Uninspected Passenger Vessel. **Vessel Representative Signature:** Date: **MISLE Entry Date:** Signature: Original - USCG Page 1 of 3 LANT/PACAREAINST 16710.2 Copy - Owner Copy - Examiner

REQUIREMENTS FOR UNINSPECTED PASSENGER VESSEL

| REQUIREMENTS | GUIDE PAGE | REGULATION | YES | NC | | N/A |
|--|---------------|--|-----------|-----|-----|-----|
| PERSONNEL LICENSING | | | | | | |
| USCG License: Original on board and current | 10 | 46 CFR § 15.401/.605/.905 | [] | [|] | [] |
| for area of operations & tonnage | | & 46 CFR § 26.20-1 | | | | |
| Sufficient operators for two watches (Voyages > 12 hrs) | 11 | 46 USC 8104 (b) | [] | [|] | [] |
| DOCUMENTATION: VESSELS ≥ 5 NET TONS | | | | | | |
| Current and original on board | 12 | 46 CFR § 67.7/67.15/.313/.319 | [] | [|] | [] |
| Endorsed for Coastwise Trade | 12 | 19 CFR § 4.80 & 46 CFR § 67.19/.163 | [] | [|] | [] |
| Official number correct size, permanently affixed and | 12 | 46 CFR § 67.121 | [] | [|] | [] |
| visible on interior structural part of hull | | | | | | |
| Display of name/Hailing port correct size and location | 13 | 46 CFR § 67.117/.119/.123 (a)(b)(d) | [] | [|] | [] |
| DOCUMENTATION: VESSELS < 5 NET TONS | | | | | | |
| Valid State Numbering Certificate on board | 13 | 33 CFR § 173.21/.23 & 174.19(a) | [] | [|] | [] |
| State Numbers displayed correct size and location | 13 | 33 CFR § 173.25/.27 | [] | [|] | [] |
| DRUG AND ALCOHOL TESTING IN EFFECT | | | | | | |
| Marine Employer participating in chemical testing program | 14 | 46 CFR § 16.113 | [] | [|] | [] |
| All crewmembers in random drug testing program | 14 | 46 CFR § 16.230 | [] | [|] | [] |
| Aware of required action of failed chemical test | 15 | 46 CFR § 16.201 | [] | [|] | [] |
| Alcohol Testing equipment on board for all crewmembers | 15 | 46 CFR § 4.06-15 | [] | [|] | [] |
| Aware prohibition of vessel operations while intoxicated. | 17 | 33 CFR § 95.015/.020 (b)(c) | [] | [|] | [] |
| MARINE ACCIDENT AND CASUALTY REPORTING - OPERATOR AWARE | OF REPORTING | REQUIREMENTS | | | | |
| State Numbered Vessels: Aware of reporting requirements | 19 | 33 CFR § 173.51/.59 46 CFR § 4.01-1 | [] | [|] | [] |
| Documented Vessels: Aware of reporting requirements | 19 & 20 | 46 CFR § 4.01-1/4.03-1/4.03-2/4.05-1 /44.05-10, /44-05-12 | [] | [|] | [] |
| COMMUNICATIONS | | | | | | |
| VHF-FM Radio: ≥ 20 meters - Power driven vessels | 21 | 33 CFR § 26.03 (a) (1) (e) (f) | [] | [| 1 | [] |
| Radiotephone VHF-FM required with ch. 22A and depending on location ch. 67. 2nd required in VTS area | | | | | - | |
| FCC Marine Radio Ship Station License: ≥ 20 meters - Valid license | 21 | 47 CFR § 80.13 & .25 | [] | [|] | [] |
| required for SSB/HF and/or International Voyage. | | | | | | |
| Radio Operator Permit: ≥ 20 meter Valid | 21 | 47 CFR § 80.163 | [] | [] |] | [] |
| CHARTS AND NAUTICAL PUBLICATIONS | | | | | | |
| Current charts of operating area, Coast Pilot, Light List & Tide | 22 | 46 CFR § 26.03-4 | [] | [|] | [] |
| Tables - extracts or copies of transited area acceptable | | | 5700 S255 | | 100 | |
| Inland Navigation Rules: ≥ 20 meter - where required | 23 | 33 CFR § 88.05 | [] | [] |] | [] |
| NAVIGATION LIGHTS AND SOUND SIGNALS | | | | | | _ |
| Proper and operational navigation lights | 23 | COLREGS Rule 23 | [] | | | |
| Operational sound producing device. ≥ 20 meters required bell Inland Waters | 24 | COLREGS Rule 33 | [] | [] |] | [] |
| Vessel Name: | _ | Date of Exam: | _ | | | |

* Original - USCG * Copy - Owner * Copy -

LANT/PACAREAINST 16710.2

Page 2 of 3

REQUIREMENTS FOR UNINSPECTED PASSENGER VESSEL (Continued)

| REQUIREMENTS | GUIDE PAGE | REGULATION | YES | NO | N/A |
|--|---------------|---|----------|-----|-----|
| GARBAGE POLLUTION PREVENTION | | | | | |
| Garbage Placard(s): Vessels ≥ 26 ft. posted in prominent locations | 26 & 27 | 33 CFR § 151.59/151.66 | [] | [] | [] |
| Waste Management Plan: on board for vessels ≥ 12 meters | 28 | 33 CFR § 151.57 | [] | [] | [] |
| LIFESAVING EQUIPMENT | | | | | |
| Personal Flotation Device: 1 approved Type I in servicable condition | 29 | 46 CFR § 25.25-5 (c), § 25.25 -7 | [] | [] | [] |
| of appropriate size readily available for each person on board | | §25.25-9 (a), § 25.25-11, § 160.002-6 | | | |
| Hybrid PFD may be subsituted if worn | 29 | 46 CFR § 25.25-5 (f) (1) (2) (3) 46 CFR § 160.077-1 | [] | [] | [] |
| PFD's: Retro Reflection material and light as applicable | 29 | 46 CFR § 25.25-13/-15 | [] | [] | [] |
| Ring Buoy: Approved, immediately available with grabline in | 30 | 46 CFR § 25.25-5 (d)/-7/-9 (b,) | [] | [] | [] |
| serviceable condition. Applies to vessels ≥ 26 ft. | | § 25.25-11, § 160.050 | | | |
| Visual Distress Signals: number required, readily accessible, not expired. | 31 | 33 CFR § 175.19/ § 175.110/.120/ § 175.125/.128/.130 | [] | [] | [] |
| FIRE PREVENTION AND SUPPRESSION | | | | | |
| Fire Extinguisher(s): Sufficient number of servicable Type B USCG | 35 | 46 CFR § 25.30-5 (b), §25.30-10 (b), (1) | [] | [] | [] |
| approved or UL listed for marine use. Current service | | (3) (4), § 25.30-20 (a) (1) & (b) | | | |
| date where applicable. | | | | | |
| Gas Engines: ventilation ducts, blower(s) and | 37, 38 | 33 CFR § 183.601 (2) (d) (f)/183.610 | [] | [] | [] |
| backfire flame control | & 41 | 46 CFR § 25.35 -1/.40-1 | | | |
| Cooking, Heating and Lighting Systems: All secured and compliant | 40 | 46 CFR § 25.45-1/-2 | [] | [] | [] |
| with remote shut off valve on LPG or CN cooking systems | | | | | |
| SAFETY INSTRUCTIONS AND ORIENTATION | | | | | |
| Safety Orientation: Announcements are made prior to journey | 43 | 46 CFR § 26.03-1 (a) | [] | [] | [] |
| Passenger List or Count: Conducted for each day of operation | 43 | 46 USC 3502 | [] | [] | [] |
| Emergency Instructions: Posted in prominent & accessible location | 44 | 46 CFR § 26.03-1 (a) | [] | [] | [] |
| MARINE SANITATION DEVICES | | | _ | | |
| Certified Marine Sanitation Device correct for length | 46 | 33 CFR § 159.7 (a) | [] | [] | [] |
| Type 1 (only under 65ft.), Type II or Type III | | | | | |
| Acceptable method(s) of securing overboaod discharge device | 47 | 33 CFR § 159.7 (b) c) | [] | | |
| Identification placard attached on Type I or II | 47 | 33 CFR § 159.55/.59 | [] | [] | [] |
| OIL POLLUTION PREVENTOIN | | | | | |
| Oil Pollution Placard: applies to vessels ≥ 26 ft. 5" x 8" posted in | 48 | 33 CFR § 155.450 | [] | [] | [] |
| machinery space and bilge control area. | | | <u>.</u> | | |
| Bilge Slops Retention: ability to contain oily water on board; oily-water separator. | 49 | 33 CFR § 155.330/.350/.770 | [] | [] | [] |

| Vessel Name: | Date of Exam: | |
|--------------|---------------|--|
| | | |